



SERIE: CALAIS

Descripción

Collection of LED outdoor wall lights, equipped with high performance light emitting diode. Body made of aluminum injection, diffuser in PC opal. Protection against the penetration of solid and liquid particles. Allows its installation outdoors. Pre-wired luminaire

REF. P-005083

Colección de apliques de exterior LED, equipados con diodo emisor de luz de alto rendimiento. Cuerpo fabricado en inyección de aluminio, difusor en PC opal. Protección contra la penetración de partículas sólidas y líquidas. Permite su instalación al aire libre. Luminaria precableada

TECHNICAL DATA SHEET




FINISHES AVAILABLE

DARK GREY

MATT BLACK

ENERGY EFFICIENCY




Application SURFACE **IP** Rating IP54 Light source LED 1304 8 W Wattage Chip Brand CREE CCT Kelvin 3000 / 4000 / 5000K 550 Lumen IF-VF 200 mA-27-40V C.R.I ≥ 80 SDCM ≤ 5 IK 08 **Beam Angle** 180 ° Input Voltage - Frequency 100-240V ~ 50/60Hz **Electrical Classification** T 25000h. L70B50 Lifespan Driver Inside - Included Power Factor: 0.9 84% Power Efficiency 335 x 240 x 800 mm Measure mm Working humidity 10%~90%RH 2.5 Weight Kg. Working humidity -30°~+45° Lighting distance 3 m Certificates - Standard CE - IEC 60598-1/IEC 62031 Warranty years 3 **MATERIALES / ACABADOS** Structure material High quality aluminum Diffuser Materilal PC Structure finishing Anti - UV powder coating finish Diffuser finishing **Opal White**


IBERLAMP reserves the right to carry out the appropriate technical modifications in order to improve the Performance of the product. We recommend consulting with the sales team to clarify any doubts.



Photometric Results

CIE Class:	Direct
Total Rated Lamp Lumens:	550 lm
Measurement Flux:	550 lm
Efficiency:	62.1 %
Downward Ratio:	50.2%
Upward Ratio:	9.2%
Luminaire Efficiency Rating (LER):	57
Central Intensity:	85.11 cd
Max. Intensity:	85.11 cd
Pos. Of Max Intensity:	H3.0 V0.0
IES File Name	P-005083





The results shown correspond to the production standards. Any modification of these standards may alter the results displayed.





IBERLAMP reserves the right to make the necessary technical modifications in order to improve the performance of the product. We recommend consulting with the commercial team to answer any questions.